LISTING CATALOG

ABSOLUTE AUCTION FEATURING EQUIPMENT FROM LOCKLEAR BORING INC

Thursday, January 31, 2013 9:00 am Start Creedmoor, North Carolina

Auctioneer Note

Locklear Boring Inc has been specializing in horizontal boring and locating services for both commercial and residential customers over 15 years. Being a company known for their professionalism and customer relations, Locklear Boring Inc is known throughout the contractor community has a company you can trust. This company has maintained all their equipment and trucks over the years and they are in excellent job ready condition.

Sale Site Address: 4009 Estate Drive, Creedmoor, NC 27522

Lloyd eekin

Auction Co.



Meeting the needs and expectations of its ${\color{black} Customers}$ for over 50 years

Auction Terms of Bidding and Sale



Payment Terms

All payments are made in US funds. Methods of payment are cash, wire transfer, certified check, or company/personal check accompanied with bank letter guaranteeing payment.

Administrative Fee: Items selling for \$2,500 or less are subject to a ten percent administration fee on each item. Items selling over \$2,500 are subject to a five percent administration fee on each item. Online Bidders will be charged an additional two percent Internet Purchase Fee on all online purchases.

Sales Tax: All items are subject to state and local tax law. The North Carolina Sales Tax (Granville County) is **6.75%** and applies to all sales, unless proper tax exemption forms are completed.

Sales Tax Exemptions: Buyers qualifying for sales tax exemption must present a copy of their sales tax I.D. numbers and complete a NC certificate of exemption (E595-E), or have a current exemption form on file, in order to be exempted from sales tax on applicable purchases.

Export Sales Tax Exemptions: Buyers purchasing for export must complete and execute a NC affidavit of export (E599-C) for sales tax exemption. Items will not be released until this required document is received.

Every Item is sold as-is, where is. All sales are final.

Notice: All bidders attending/participating in this auction agree that they have read and have full knowledge of these terms and agree to be bound thereby.

No Guarantees or warranties expressed or implied. This catalog is only a guide. Please inspect equipment.

Based on information gathered from consignors and other reliable sources, we believe information to be correct and valid, but the accuracy is not guaranteed or warranted by Lloyd Meekins & Sons Auction Company. Please inspect equipment.

Meekins Auction Company does not guarantee year models, descriptions, serial numbers or VIN numbers. Please inspect equipment.

Additional Terms:

- In the event of when (2) ring men claim they have the winning bid, and the auctioneer has declared the item sold, the Auctioneer reserves the right to re-open the bidding to all bidders. Auctioneer reserves the right to choose the increment of the bidding and reject any bids if he feels it is in the best interest of the Seller.
- If a bid is made **"while the hammer is falling"** in acceptance of a prior bid, the auctioneer may reopen the bidding or declare the goods sold under the bid on which the hammer was falling.
- A "Late Bid" is not an accepted bid once the auctioneer has declared the item sold.



Auction Terms of Bidding and Sale

Personal Injury and Damage



Bidder acknowledges responsibility for any personal injury or property damage caused by the bidder, or his agent, and further agrees to hold Meekins Auction Company harmless from any personal injury to himself or his agents and any property damage incurred on auction premises. **All children under the age of 18 are not allowed on sale site.** I release Meekins Auction Company and the Seller from any and all liability connected with the removal and transportation of my purchases and any and all future uses for the equipment purchased here today.

Vehicle Title Information and Requirements

- No titles will be given out on the day of the auction!
- All title-item purchases will be charged a <u>\$25 title-processing fee</u>.
- Auction Company shall provide a title and paperwork to be able to register motor vehicles and /or trailers.
- Please check your invoice name for accuracy. (Names on invoices cannot be changed after sale day.)
- All titles will be mailed out by certified mail within (15) business days after payment has been received.

Auction Company Information

Lloyd Meekins & Sons Auction Company - NC Firm License #858 Office Address: 4070 NC Hwy 211 East, Lumberton, NC 28358 Toll-Free Office: 800.499.6560 – Alt: 910.739.0547 – Fax: 910.738.1389 Email: info@meekinsauction.com – Web: www.meekinsauction.com

Auctioneers:

Lloyd Mickey Meekins, Jr. #228 - Stacey Johnson #7273 - Lloyd Trey Meekins, III #8137

Sales Representatives and Sale Site Managers:

Trey Meekins, 910.258.4383 Chris Cea, 910.633.8244 EB Webb, 252.245.1405 Avery Brewer, Sale Site Manager, 910.608.9457 Ruford Watson, Sale Site Manager, 910.734.1828

Agency: The auctioneer is acting as agent only and is not responsible for the acts of its principals or consignors.

Note: The Auctioneer may add other terms and conditions of sale, such as additional terms, change in item description, etc. to be announced prior or during the auction.



Auction Terms of Bidding and Sale

Equipment Removal Information



All equipment must be removed from sale site by Thursday, February 7, 2013.

Equipment not removed by designated date, buyer may be charged storage fees. Removal of equipment and insurance is the buyers' responsibility.

Auction Day Equipment Loading Procedure Important Notice

To insure the safety of our valued customers and employees, equipment may not be loaded or driven out until the conclusion of the auction or until auction management determines it is safe to do so. Thank you for your cooperation.

Meekins Auction Company employees will not load equipment into containers, dismantle machines, arrange for 3rd parties to assist in loading equipment, and will not load or operate loaders after dusk.

Office Yard Loading Hours: Monday - Friday, 8:00 am - 12:00 Noon, 1:00 pm - 4:00 pm, Closed Weekends

For equipment release, invoice must be paid in full. An equipment release form can be obtained from the main office for removal.

Equipment Hauling Companies

- Yarborough Transport Company: 800.334.0160
- Rocky Top Trucking Inc: 800.243.3403
- Landstar (TLC) Hauling Company: 888.558.0008 (Nationwide Availability)
- Global Relogistics Inc (International Shipping): 877.945.2189 Ext #314
- Mangum's Heavy Equip Hauling: 800.869.8973
- Joshua Transport: 360.690.8288
- Bent Creek Transport: 919.427.7648
- Chris Clark Heavy Hauling: 910.770.0743
- Martin Transport: 910.373.8725

Sale Site Driving Directions

From Durham, North Carolina, Take I-85 North for 14.4 miles, Take the exit toward N Carolina 56 E/Butner Creedmoor Rd, Turn right off exit ramp and take the 1st right onto E Lyon Station Rd, go 1.8 miles, Turn left onto Estate Drive, go 0.3 mile, sale site will be located on the left



Catalog for Auction:Locklear Boring Auction - Jan 31 2013 This catalogue is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

Lot Num	Description	Lot Num	Description
1	MICHELIN 195/65R 15 Automotive Tires, quantity of 4	30 _	Transport Equipment Chains and Binders
2	MICHELIN 205/70R 14 Automotive Tires,	31 _	CHICAGO Pneumatic Jack Hammers, quantity of 3
2	quantity of 4	32 _	(4) Pneumatic Jack Hammers
3	Drums of Amsoil and Dynalife HT #2 Grease	33 _	(2) 11R 24.5 Radial Truck Tires
4	(6) Chain Binders	34	Pneumatic Grease Gun
5	3/4 Inch Air Hose Sections	35 _	(2) Air Hose Reels
6	(5) Portable Ventilators, electric powered, 8 inch and 12 inch sizes	36	Large Qty of Shop Tools and Accessories
7	FELKER LS-4H Walk Behind Concrete Joint Saw, equipped w/ Honda GX160 engine	37 _	(2) 8.75R 16.5LT Radial Tires
8	NAPA 85-16 Battery Charger	38 _	(2) Horizontal Water Levels
9	ENERPAC P392 (10,000 PSI) Hand Pump	39 _	CHAMPION C44020 Water Pump, skid mounted, 4.0HP gas engine, 2 inch connection
10	Heavy Duty Shop Jacks and Big Red 6 Ton Jack Stands	40 _	Large Qty of Jack Hammer Bit Attachments
11	Air Hose Sections	41	Job Safety Signs and Stands
12	AIR SYSTEMS SVB-E8 Portable Ventilator, sn:E810287, electric powered, hoses and accessories	42 _	Large Qty of Boring Head Teeth & Rod Extensions
13	Portable 26 Inch Shop Fan	43 _	Hard Top for BMW 450SL Automobile
		44 _	(6) Pneumatic Jack Hammers
14 15	2009 High Velocity 26 Inch Drum Fan NAPA 1-Ton Low Profile Transmission Jack	45 _	RICE HYDRO Hydrostatic Test Pump, Briggs & Stratton engine, skid mounted, hoses
16	VENTAMATIC 36 Inch Portable Shop Fan	46 _	TSURUMI NK2-15 Water Sump Pump,
17	Large Qty of Water Hose Sections		sn:B10278030, electric powered
18	3 Inch Water Suction Hose	47 _	CENTRAL MACHINERY 2 Inch Water Pump, skid mounted, 6.5HP gas engine
19	2 Inch Water Suction Hose	48	VOLT MASTER 5500 Watt Gas Generator Set, skid mounted, Subaru engine, 120/240
20	2 Inch Water Suction Hose		volt service
21	2 Inch Water Suction Hose	49 _	SPEED CLEAN 2000 PSI Pressure Washer, sn:1009968391, Briggs & Stratton 3.75HP
22	Tractor Weights, equipped w/ bracket mount		engine, spray wand, mobility kit
23	TARGET MINICON Series II Concrete Saw, sn:122458, walk behind, Honda GX390 engine	50 _	TROY-BILT 2550 PSI Pressure Washer, sn:1016966130, Briggs & Stratton 6.75HP engine, 2.3 gpm, hose, wand, mobility kit
24	Loading Ramps, 6 ft length	51 _	TROY-BILT 3700 PSI Pressure Washer,
25	Loading Ramps, 5 ft length		Honda GX390 (13.0HP) engine, 4.0 gpm, mobility kit, hose, wand
26	Heavy Duty Tool Box, Shop Equipment	52 _	WACKER PT2A Water Pump, sn:672001915, skid mounted, Honda engine,
27	Chain Lifting Sling, large qty of ratchet straps		2 inch connection
28	Transport Equipment Chains and Binders	53 _	TITAN 3 Inch Water Pump, gas engine, mobility kit
29	Transport Equipment Chains and Binders		

Lot Num	Description L	ot Num	Description
54 <u> </u>	CH & E 4097CAW Water Pump, sn:T0703012, Honda GX240 (8.0HP) engine, mobility kit MULTIQUIP QP-202TH Water Pump,	70	2005 DEERE 310G (4x4) Loader Backhoe, sn:T0310SGX943811, Rops Canopy, 4045D engine, four gear transmission, work light package, 4-n-1 loader bucket, standard stick, 24 inch hoe bucket, one owner machine,
	sn:202TH5355, Honda engine, 2 x 2 size, skid mounted	71	meter reading: 2,076 hrs2005 DEERE 310SG Loader Backhoe,
56	WINCO INDUSTRIAL 3000 WATT Dyna Generator, sn:83058C02, skid mounted, Honda GX160 engine		sn:T0310SG943342, Rops Canopy, shuttle transmission, work light package, gp loader bucket, standard stick, 18 inch hoe bucket, 3,065 hrs, note: sales tax applies **
57	MULTIQUIP QP-D302 Diaphragm Water Pump, sn:1281, Robin 3.5HP engine, 3 x 3 size, mobility kit	71A	2001 CAT 420D (4x4) Loader Backhoe, sn:FDP00484, Rops Canopy, work light package, 4-n-1 loader bucket, standard stick,
58	ALL POWER 3500 Watt Gas Generator Set, sn:08R240508, 6.5HP engine, 120/240 volt service, mobility kit		24 inch hoe bucket, meter reading: 4,757 hrs, note: sales tax applies **
59	COLEMAN POWERMATE 6250 Watt Gas Generator Set, sn:92602005, Briggs & Stratton 10HP engine, 120/240 volt service, skid mounted	72	2004 KOMATSU WB140-2N (4x4) Loader Backhoe, sn:KMTWB001A36A21016, Rops Canopy, work light package, JRB quick coupler, gp loader bucket, standard stick, 24 inch hoe bucket, 4,299 hrs, note: sales tax applies **
60	TITAN Industrial 8000 Watt Gas Generator Set, sn:TMG000211, 120/240 volt service, mobility kit	73	2006 HITACHI ZX330LC Hydraulic Excavator, sn:FF01HHQ033966, A/C Cab, Isuzu engine, work light package, 31.5 inch
61	TITAN Industrial 8500 Watt Gas Generator Set, sn:RCG006118, 120/240 volt service, mobility kit	74	pads, CF 2.15 cu yd (48 inch) bucket, meter reading: 6,278 hrs
64	2009 CLUB CAR PRECEDENT Golf Cart, sn:PH0912-010396, Canopy, windshield, electric powered, 48 volt system, battery charger, note: sales tax applies **	74	2007 DEERE 200CLC Hydraulic Excavator, sn:FF200CX507722, A/C Cab, work light package, 31.5 inch pads, CP 42 inch bucket, meter reading: 3,147 hrs
65	2009 CLUB CAR PRECEDENT Golf Cart, sn:PH0912-010456, Canopy, windshield, electric powered, 48 volt system, battery charger, note: sales tax applies **	75	2006 KOBELCO SK330LC-VI Dynamic Acera Hydraulic Excavator, sn:YC07U0872, A/C Cab, Mitsubishi 7.5L engine, work light package, intelligent total control system, 31.5 inch pads, plumbed auxiliary hydraulics, CP 54 inch bucket, meter reading: 7,848 hrs
66	2003 KUBOTA B21 (4x4) Loader Backhoe, sn:62392, Rops Canopy, 3 cyl Kubota diesel engine, hydrostatic transmission, work light package, brush guard, gp loader bucket, standard stick, 12 inch hoe bucket, meter reading: 1,333 hrs, note: sales tax applies **	76	1998 KOBELCO SK300LC MARK IV Hydraulic Excavator, sn:YCU0824, A/C Cab, Cummins engine, work light package, 31.5 inch pads, Geith 36 inch bucket, meter reading: 7,085 hrs
67	KUBOTA KX008 Micro Mini Hydraulic Excavator, sn:16998, Roll Bar, 3 cyl Kubota engine, rubber tracks, backfill dozer blade, auxiliary hydraulics, adjustable tracks (widen & narrow), 10 inch bucket, meter reading: 2,237 hrs, note: sales tax applies **	77	2010 LINK-BELT 160X2 Hydraulic Excavator, sn:EGCJ9-4019, A/C Cab, Isuzu engine, work light package, 27.5 inch pads, plumbed auxiliary hydraulics, Esco 36 inch bucket, meter reading: 1,905 hrs
69	1973 CAT 12F Motor Grader, sn:89H1600, Rops Canopy, Cat 3306 engine, power shift transmission, 12 ft board, rear hydraulic ripper attachment, 14.00-24 tires, note: sales tax applies **	78	2006 LINK-BELT 130LX Hydraulic Excavator, sn:K1J6-1269, A/C Cab, Isuzu engine, reduced tail swing, work light package, 23.5 inch pads, plumbed auxiliary hydraulics, Geith 36 inch bucket, meter reading: 1,614 hrs
		79	1994 DAEWOO DH220LC Hydraulic Excavator, sn:1424, equipped w/ 32 inch pads, 36 inch bucket, manual thumb attachment

Catalog for Auction:Locklear Boring Auction - Jan 31 2013

Lot Num	Description	Lot Num	Description
80	2007 KUBOTA KX161-3 Super Series Hydraulic Excavator, sn:JKUK1613P01H32698, Rops Canopy, Kubota 2.4L engine, auto idle, rubber tracks, hydraulic angle blade, auxiliary hydraulics, 12	88 _	AMERICAN AUGER 24-110S Horizontal Boring Machine, sn:24110DS0587127, Deutz 3 cylinder air cooled engine, 4 speed transmission, 30 ft total track, quick split series, master saddle
	inch bucket, meter reading: 668 hrs, note: sales tax applies **	89 _	AMERICAN AUGER 24-100S Horizontal Boring Machine, sn:24100D1191214,
81	2004 KUBOTA KX121-3 Hydraulic Excavator, sn:JKUK1213H01H21560, Rops Canopy, Kubota 2.2L engine, light package, rubber tracks, backfill dozer blade, auxiliary		Lombardini diesel engine, 4 speed transmission, quick split series, 30 ft total track, master saddle
	hydraulics, 12 inch bucket, 2,146 hrs, note: sales tax applies **	90 _	AMERICAN AUGER 24-70S Horizontal Boring Machine, sn:2470D1087138, Lombardini diesel engine, 3 speed
81A	2006 DEERE 450J LGP Crawler Dozer, sn:T0450JX114975, Rops Canopy, Power Tech 4.5L engine, hydrostatic transmission, 24 inch pads, 6 way dozer blade, meter		transmission, quick split series, new clutch recently installed, 30 ft total track, master saddle, vandalism shield
81B	reading: 3,837 hrs, note: sales tax applies ** 2004 DEERE 650H XLT Crawler Dozer,	91 _	RICHMOND 36C Horizontal Boring Machine, 4 cylinder engine, 3 speed transmission, 30 ft total track, master saddle
	sn:T0650HX933377, Rops Canopy, Power Tech 4.5L engine, hydrostatic transmission, 20 inch pads, 6 way dozer blade, meter reading: 5,615 hrs, note: sales tax applies **	92 _	RICHMOND 24C Horizontal Boring Machine, VM 2 cylinder diesel engine, 3 speed transmission, 30 ft total track, master saddle
82	BARBCO 48/54-750 Horizontal Boring Machine, sn:4854750109306, Deutz 6 cylinder air cooled engine, 5 speed	93 _	RICHMOND 24C Horizontal Boring Machine, sn:2406273, Wisconsin gas engine, 3 speed transmission, 30 ft total track, master saddle
83	transmission, 32 ft total track, quick split series, master saddle, vandalism shield 2000 AMERICAN AUGER 48-900S	94 _	RICHMOND 20C Horizontal Boring Machine, sn:200868, Wisconsin gas engine, 3 speed transmission, 30 ft total track, master saddle
	Horizontal Boring Machine, sn:48900GHDS0798113, Deutz 4.764L (113HP) engine, 5 speed transmission, quick split turbo series, 32 ft total track, master saddle, Bloom winch	95 _	AMERICAN AUGER 60 inch Bore Width Auger Sections, approx 60 ft of stem, 5 inch hex
84	AMERICAN AUGER 36-340S Horizontal Boring Machine, sn:3640GS1096280, Deutz 4	96 _	AMERICAN AUGER 60 inch Bore Width Auger Sections, approx 40 ft of stem, 5 inch hex
	cylinder air cooled engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, vandalism shield	97 _	AMERICAN AUGER 60 inch Combination Boring Head, 5 inch hex
85	AMERICAN AUGER 24-150S Horizontal Boring Machine, sn:24150DS0395267, Deutz 3 cylinder air cooled engine, 4 speed	98 _	AMERICAN AUGER 54 inch Rock Boring Head, 5 inch hex
	transmission, quick split series, 30 ft total track, master saddle	99 _	BARBCO 72 inch Pusher, fits horz boring machines
86	AMERICAN AUGER 24-150S Horizontal Boring Machine, sn:24150DS0897302, Deutz 3 cylinder air cooled engine, 4 speed	100 _	AMERICAN AUGER 60 inch Pusher, fits horz boring machines
	transmission, quick split series, 30 ft total track, master saddle, vandalism shield	101 _	AMERICAN AUGER 60 inch Pusher, fits horz boring machines
87	AMERICAN AUGER 24-150S Horizontal Boring Machine, sn:24150DS1092232, Deutz 3 cylinder air cooled engine, 4 speed	102 _	AMERICAN AUGER 54 inch Pusher, fits horz boring machines
	transmission, quick split series, 30 ft total track, master saddle	103 _	AMERICAN AUGER 54 inch Bore Width Auger Sections, approx 50 ft of stem, 5 inch hex
		104 _	AMERICAN AUGER 54 inch Bore Width Auger Sections, approx 60 ft of stem, 5 inch hex

Catalog for Auction:Locklear Boring Auction - Jan 31 2013

Lot Num	Description	Lot Num	Description
105	AMERICAN AUGER 48 inch Bore Width Augers, approx 100 ft of stem, 5 inch hex, combination boring head included	125 _	AMERICAN AUGER 20 inch Bore Width Augers, approx 100 ft of stem
106	AMERICAN AUGER 48 inch Bore Width	126 _	AMERICAN AUGER 20 inch Bore Width Augers, approx 60 ft of stem
407	Augers, approx 80 ft of stem	127 _	AMERICAN AUGER 18 inch Bore Width
107	AMERICAN AUGER 48 inch Combination Boring Head, 4 inch hex	128 _	Augers, approx 230 ft of stem
108	AMERICAN AUGER 48 inch Bore Width Augers, approx 85 ft of stem		Augers, approx 160 ft of stem
109	AMERICAN AUGER 42 inch Bore Width Augers, approx 100 ft of stem	129 _	AMERICAN AUGER 16 inch Bore Width Augers, approx 120 ft of stem
110	AMERICAN AUGER 36 inch Bore Width Auger Stem Sections	130 _	AMERICAN AUGER 16 inch Bore Width Augers, approx 76 ft of stem
111	AMERICAN AUGER 36 Inch Bore Width Auger Stem Sections	131 _	AMERICAN AUGER 16 inch Bore Width Augers, approx 140 ft of stem
112	AMERICAN AUGER 30 inch Bore Width	132 _	36 inch Steering Casing Head, fits horizontal boring machines
112A	Auger Stem SectionsAMERICAN AUGER 24 inch Bore Width	133 _	48 inch Steering Casing Head, used with horz boring machines
112B	Auger Stem SectionsAMERICAN AUGER 12 inch Bore Width	134 _	30 inch Steering Casing Head, fits horizontal boring machines
113	Auger Stem SectionsAMERICAN AUGER 24 inch Bore Width	134A _	20 inch Steering Casing Head, fits horizontal boring machines
114	Augers, approx 80 ft of stem AMERICAN AUGER 24 inch Bore Width Augers, approx 120 ft of stem, 4 inch hex	135 _	AMERICAN AUGER B114-3P Benoite Mixing System, sn:B1143P019473, Honda 8.0HP engine pump, skid mounted
115	12 inch, 8 inch, 6 inch Bore Width Augers, approx 70 ft of stem	136 _	Steel Road Plate, 8 ft x 15 ft
116	AMERICAN AUGER 6 inch Bore Width Augers, approx 84 ft of stem	137 <u> </u>	Steel Road Plate, 7 ft x 20 ft
117	AMERICAN AUGER 8 inch Bore Width	139 _	Steel Road Plate, 4 ft x 8 ft
	Augers, approx 100 ft of stem, equipped w/ boring head	140	Steel Road Plate, 43 in x 60 in
118	AMERICAN AUGER 4 inch Bore Width Augers, approx 56 ft of stem, equipped w/	141	Steel Road Plate, 8 ft x 12 ft
	boring head	142 _	Steel Road Plate, 36 in x 54 in
119	4 inch and 2 inch Bore Width Augers, large quantity of stems	143 _	Steel Road Plate, 36 inch x 63 inch
120	AMERICAN AUGER 8 inch Bore Width Augers, approx 30 ft of stem	144 145	Steel Road Plate, 8 ft x 16 ft
121	AMERICAN AUGER 12 inch Bore Width	146 _	Steel Road Plate, 5 ft x 9 ft
122	Augers, approx 30 ft of stem 4 inch Bore Width Augers, approx 120 ft of	150 _	AMERICAN AUGER 30 inch Rock Boring Heads, pushers, 3 inch hex
123	stem AMERICAN AUGER 12 inch Bore Width	151 _	AMERICAN AUGER 48 inch Rock Boring Head, 4 inch hex
124	Augers, approx 35 ft of stem AMERICAN AUGER 20 inch Bore Width Augers, approx 140 ft of stem	152 _	ROBBINS 24 Inch Solid Rock Disc Cutter Boring Head

Catalog for Auction:Locklear Boring Auction - Jan 31 2013

_ot Num	Description	Lot Num	Description
153	BARBCO 36 inch Rock Boring Head, 4 inch hex	177	48 inch and 30 inch Horizontal Boring Machine Saddles
154	AMERICAN AUGER 48 inch Rock Boring Head, 5 inch hex	178	AMERICAN AUGER 36 inch Rock Boring Head, 3 inch hex
155	AMERICAN AUGER 48 inch Combination Boring Head, 5 inch hex	179	2007 STERLING LT8500 Elliott 2495 (24 Ton) Crane Truck, Cat C-9 8.8L (335HP)
156	BARBCO 42 inch Rock Boring Head, 4 inch hex		engine, Eaton Fuller 8LL transmission, cruise, differential lock, axle lock, ac/heat, 20,000LB front axle, 40,000LB rear axles, 2007 Elliott
157	54 inch Rock Boring Head, 5 inch hex		2495 hydraulic truck crane, three section boom, 95 ft reach height capability, (4) hydraulic outriggers, 20 ft flatbed steel body,
158	AMERICAN AUGER 30 - 48 Pusher and Saddle		Hendrickson heavy duty suspension, tandem axle truck, tow package, up to date crane
159	AMERICAN AUGER 24 - 48 Pusher and Saddle		certification, odometer reading: 84,195 miles , sn:2FZHAWDA67AX75586
	Gaddle	180	1996 FORD L8000 National Series 990 (23.5
160	AMERICAN AUGER 36 - 48 Pusher and Saddle		Ton) Crane Truck,Cummins 8.2L engine, Eaton Fuller 8LL, differential lock, 258 wheel base, 16,000LB front axle, 40,000LB rear
161	AMERICAN AUGER 42 inch Rock Boring Head, 4 inch hex		axles, Owsley 20 ft flatbed body, steel floor, 3 section boom, 95 ft reach height capability, (4) hydraulic outriggers, Hendrickson spring
162	AMERICAN AUGER 42 - 48 Pusher and Saddle		suspension, tow package, up to date crane certification, odometer reading: 122,671 miles
163	BARBCO 48 Inch Rock Boring Head, 5 inch		, sn:1FDYW82EXTVA03581
	hex	181	2006 KENWORTH W900L (T/A) Day Cab Truck Tractor, Cat C-15 (475HP) engine,
164	AMERICAN AUGER 16 inch Rock and Combination Boring Heads, pushers, saddles, 3 inch hex		Eaton Fuller 10 speed, cruise, engine brake, fifth wheel slide, differential lock, ac/heat, cd/fm/am stereo, grain/leather interior, moto mirrors, work light package, 12,000LB front
165	AMERICAN AUGER 20 - 48 Pusher and Saddle		axle, 38,000LB rear axles, air ride suspension, 3.70 axle ratio, aluminum headache rack, Alcoa rims, odometer reading:
166	BARBCO 60 Inch Rock Boring Head, 5 inch hex		642,202 miles , sn:1XKWDB9X26J143789
167	AMERICAN AUGER 36 - 48 Pusher and Saddle	182	1998 KENWORTH W900 (Tri Axle) Day Cab Truck Tractor, Cummins N14-460HP engine, Eaton Fuller 9 speed, 3 stage engine brake, cruise, fifth wheel slide, grain interior, 4.11
168	20 inch Rock and Dirt Boring Heads, pushers, saddle		axle ratio, 12,860LB front axle, 40,000LB rear axles, Granning air lift 3rd axle, Hendrickson suspension, work light package, headache
169	AMERICAN AUGER 12 inch Rock and Combination Boring Heads, pusher, saddle, 2 inch and 1 1/2 inch hex sizes		rack, hydraulic wet line kit, odometer reading: 372,679 miles , sn:1XKWD69X9WJ778290
		183	1996 MACH CH613 (T/A) Day Cab Truck
170	AMERICAN AUGER 24 Inch Rock Boring Head, 3 inch hex		Tractor, E7-350HP Mack engine, Eaton Fuller 9 speed, cruise, engine brake, power divider lock, fifth wheel slide, work light package,
171	AMERICAN AUGER 24 inch Combination Boring Head, 3 inch hex		12,000LB front axle, 40,000LB rear axles, Sturdy-Lite headache rack, air ride
172	18 inch Combination Boring Head, 2 inch hex		suspension, Alcoa rims, hydraulic wet line kit, odometer reading: 283,985 miles , sn:1M2AA13Y4TW064337
173	18 inch Rock Boring Head, 3 inch hex		
174	36 inch Combination Boring Head, 3 inch hex	183A	1989 PETERBILT 379 (T/A) Day Cab Truck Tractor, Cat 3406 (400HP) engine, Eaton
175	32 inch Rock Boring Head, 3 inch hex		Fuller 13 speed transmission, fifth wheel slide, inter axle lock, 12,000LB front axle, 40,000LB
176	AMERICAN AUGER 42 inch Combination		rear axles, air ride suspension , sn:1XP5DB9X0KN279912

Catalog for Auction:Locklear Boring Auction - Jan 31 2013

ot Num	Description	Lot Num	Description
184	1997 WESTERN STAR 4964FX (T/A)	192A	1990 TRAIL KING TK70DGP-432 (T/A)
	Sleeper Cab Truck Tractor, Detroit Series 60		Lowboy Trailer, 35 ton hauling capability, non
	(470HP) engine, Eaton Fuller 10 speed		ground bearing, 102 inch x 22 ft load deck,
	transmission, cruise, engine brake, differential		spring suspension, 255/70R 22.5 tires ,
	lock, 60 inch sleeper cab, 12,000LB front		sn:1TKH04321LM066957
	axle, 40,000LB rear axles, air ride		
	suspension, Alcoa rims ,	193	1994 FONTAINE FTW-5-8045W9AK Flatbed
	sn:2WKPDDXH4VK947412		Trailer,96 inch x 48 ft deck, 80,000LB frame
			rating, aluminum floor boards, spread axle,
185	1998 GMC C8500 (T/A) Dump Truck, Cat		Hendrickson HT Series suspension, Webb
	3126 (300HP) engine, Eaton Fuller 8LL		hubs, tandem axle, 295/75R 22.5 tires,
	transmission, 12,000LB front axle, 40,000LB		sn:13N145300R1560685
	rear axles, double frame, Fontaine C16T		
	(14/16 yd) dump body, electric tarp, 84,494	194	2012 FORD F-550XL Superduty McLaughlin
	miles, sn:1GDT7H4C8WJ514060		V500AW Vacuum Excavation
			Truck, Powerstroke 6.7L turbo diesel engine,
186	1997 FREIGHTLINER FL70 (S/A) Dump		automatic, cruise, ac/heat, cd/fm/am/mp3
	Truck, Cummins 5.9L (210HP) engine, 6		stereo, work light package, Knapheide 16 ft
	speed transmission, air brakes, ac/heat,		body, 2011 McLaughlin V500AW Air/Water
	12,000LB front axle, 21,000LB rear axle,		Vacuum Excavation System,
	spring suspension, Ox 10 ft (8-10 yd) steel		sn:5DAWRF051809330, skid mounted,
	dump body, double frame, Roll-Rite electric		Kubota 99HP engine, 1025 cfm blower output,
	tarp system, tow package, new rear tires		air/water power pack combination system,
	recently installed , sn:1FV6HFAA6VL859374		500 gallon spoil tank capacity, 410 gallon
			water tank capacity, 5.6 gpm water pump,
187	1992 GMC TOPKICK SL Flatbed Truck, Cat		three stage filtration system, Cam-Over
	3116 6.6L engine, 5 speed, air brakes,		external hydraulic rear door, meter reading:
	11,000LB front axle, 22,000LB rear axle,		432 engine hrs, truck odometer reading:
	Hackney 24 ft body, steel deck, spring		19,003 miles , sn:1FDUF5GTXCEA03875
	suspension, sn:1GDM7H1NJ500281		13,003 miles ; 3h. 11 DOI 301 XOLA03073
		195	1994 FORD F700 Excavac Ground-Hog
88	1993 FORD F600 Flatbed Truck, Cummins	135	Vacuum Excavation Truck,Cummins 5.9L
	5.9L (210HP) engine, 5 speed, gvw rating:		(210HP) engine, automatic transmission, 154
	26,000LBS, 207 wheel base, 20 ft steel body,		wheel base, 10,000LB front axle, 21,000LB
	-		
	spring suspension , sn:1FDNK64C9PVA05312		rear axle, 12 ft body, John Deere power unit,
	SII. IFDINK04C9F VA03312		Vanair air compressor, cold water system,
189	1989 FORD F800 Telelect Commander 4200		Michelin tires , sn:1FDXK74C2RVA15939
09	Digger Derrick Truck, 7.8L (240 HP) diesel	196	2001 CHEV/DOLET 2500 Dually Service
	engine, automatic transmission, 178 wheel	190	2001 CHEVROLET 3500 Dually Service
			Utility Van, Vortec 5.7L engine, automatic,
	base, gvwr:33,000LBS, heavy duty winch,		fm/am stereo, ac/heat, Stahl 11 ft van body,
	13,205 lb lift capacity, pole claw, PG winch,		utility racks, hot stick tube, note: new engine
	man bucket, hydraulic outriggers, Columbian		recently installed at 177,000 miles, paperwork
	vise, hydraulic tool kit, tow package,		available, odometer reading: 177,453 miles,
	sn:1FDXK84A6K84A6KVA51143		sn:1GBHG31R811207359
		407	
90	2001 DYNAWELD LB50 (Tri Axle) Lowboy	197	2002 CHEVROLET 3500 Service Van,
	Trailer, 50 ton hauling capability, non ground		Vortec 5.7L engine, automatic, 10 ft 7 in van
	bearing, wet line operation, 102 inch x 22 ft 10		body, Vanguard heavy duty utility rack ,
	inch deck, new floor boards and tires recently		sn:1GBHG31R721183976
	installed, deck over wheels, air ride		
	suspension, 255/70R 22.5 tires,	198	2005 CHEVROLET EXPRESS 3500
	sn:19K81DHXP1X23492		Passenger Van, Vortec 6.0L engine,
			automatic, cruise, power windows and locks,
191	2007 WITZCO CHALLENGER RG-35 (T/A)		cloth interior, 12 passenger, tow package,
	Lowboy Trailer, 35 ton hauling capability, non		270,846 miles , sn:1GAHG35UX51156245
	ground bearing, pony motor operation, 102		
	inch x 22 ft 3 inch deck, new floor boards	199	2011 FORD F-550XL Superduty Crew Cab
	recently installed, spring suspension, 255/70R		Dually Service Truck, Powerstroke 6.7L turbo
	22.5 tires , sn:1W8A11D207S000217		diesel engine, automatic, cruise, 2wd, ac/heat,
			cd/fm/am/mp3 stereo, (4) auxiliaries,
192	1985 TRAIL KING 1944-1350 Hydra Tail (Tri		Knapheide body, hot stick tube, tow package,
	Axle) Lowboy Trailer, gvw rating: 86,600LBS,		odometer reading: 64,788 miles ,
	gawr: 17,720LBS each axle, Braden winch, 8		sn:1FD0W5GT1BEA89462
	ft top deck, 34 ft load deck, outriggers,		
	hydraulic folding tail, air ride suspension,		

Lot Num	Description I	_ot Num	Description
200	2010 CHEVROLET 3500HD Silverado Crew Cab Dually Service Truck, Duramax 6.6L turbo diesel engine, Allison automatic transmission, cruise, power windows and locks, stereo system, ac/heat, Reading body, utility rack, GPI fuel `n tool box accessory, tow package, odometer reading: 91,065 miles , sn:1GB7CZE64AF110368 2010 CHEVROLET 3500HD Silverado Crew Cab Dually Service Truck, Duramax 6.6L	209	2012 FORD F-150 HARLEY DAVIDSON Super Crew Cab (4x4) Pickup, Triton 6.2L (V8) Flex Fuel engine, automatic transmission, cruise, rear view camera, moon roof, leather interior, heated seats, power windows and locks, rear powered sliding window, loaded features, short bed, UWS tool box, tow package, automatic hiding step boards, odometer reading: 27,671 miles , sn:1FTFW1E66CFA98772
202	turbo diesel engine, Allison automatic transmission, cruise, power windows and locks, stereo system, ac/heat, Reading body, utility rack, GPI fuel `n tool box accessory, tow package, odometer reading: 97,143 miles , sn:1GB7CZB61AF1222445 2006 CHEVROLET 2500HD Crew Cab (4x4)	210	2010 CHEVROLET SILVERADO 1500 LTZ Z71 (4x4) Extended Cab Pickup, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, heated seats, short bed, Cam-Locker tool box, tow package, odometer reading: 104,487 miles , sn:1GCSKTE38AZ180025
	Service Truck, Duramax 6.6L turbo diesel engine, Allison automatic transmission, ac/heat, stereo system, Knapheide body, utility rack, off road diesel fuel tank, hot stick tube, tow package, odometer reading: 171,562 miles , sn:1GBHK23D36F158592	211	2009 CHEVROLET SILVERADO 1500 LTZ Z71 (4x4) Extended Cab Pickup, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, heated seats, short bed, Cam-Locker tool box, tow package,
203	2007 GMC 3500 Crew Cab Dually Service Truck, Vortec 6.0L engine, automatic, cruise, 2wd, ac/heat, fm/am stereo, Knapheide body, tow package, odometer reading: 191,457 miles , sn:1GDJC33U37F133480	212	odometer reading: 158,893 miles , sn:1GCEK39J59Z215167 2009 CHEVROLET SILVERADO 1500 LT Z71 (4x4) Extended Cab Pickup, Vortec 5.3L
204	2004 FORD F-550XL Superduty Dually Service Truck, Powerstroke V8 turbo diesel engine, 6 speed, ac/heat, fm/am stereo, Adkins body, utility rack, tow package, odometer reading: 52,589 miles,		engine, automatic, cruise, cd/fm/am/aux stereo, ac/heat, power windows and locks, short bed, liner, UWS tool box, tow package, odometer reading: 156,958 miles , sn:2GCEK290891129751
205	sn:1FDAF56P14EC31466 2005 FORD F-350XL Superduty Crew Cab Service Truck, Powerstroke V8 diesel engine, automatic transmission, cruise, ac/heat, stereo, Reading Classic II 9 ft tool body, hot stick tube, tow package, 291,663 miles ,	213	2009 GMC SIERRA 1500 SLE Z71 (4x4) Extended Cab Pickup, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, short bed, Cam-Locker tool box, tow package, odometer reading: 171,170 miles ,
206 207	sn:1FBSW34P35EB02009 2004 GMC 2500HD Service Truck, Vortec 6.0L engine, automatic, 2wd, ac/heat, stereo system, Stahl body, tow package, odometer reading: 198,535 miles , sn:1GDHC24U74E337580 2001 FORD F-250XL Superduty Service	214	sn:2GTEK290X91127757 2008 CHEVROLET SILVERADO 1500 LT Z71 (4x4) Extended Cab Pickup, Vortec 5.3L engine, automatic, cruise, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, cloth interior, short bed, UWS tool box, tow package, odometer reading: 192,152 miles , sn:2GCEK19J181269433
	Truck, Triton 5.4L V8 engine, automatic, ac/heat, fm/am stereo, Morrison tool body, odometer reading: 174,206 miles , sn:1FTNF20LX1EC27887	215	2008 CHEVROLET SILVERADO 1500 LS (4x4) Pickup, Vortec 4.8L engine, automatic, cruise, ac/heat, cd/fm/am/aux stereo, long bed, Adrian Steel tool box, tow package,
208	1990 CHEVROLET 3500 Cheyenne Dually Service Truck, 350 gas engine, automatic, 2wd, MCB body, tow package, note: around 2,000 miles on recently installed engine, paperwork available, sn:1GBHC34K6LE21605	216	odometer reading: 127,114 miles , sn:1GCEK14C18Z296745 2011 GMC SIERA 1500 Pickup, Vortec 4.3L engine, automatic, cruise, ac/heat, fm/am stereo, long bed, Leonard tool box, odometer reading: 59,649 miles , sn:1GTN1TEX5BZ161291

Lot Num	Description	Lot Num	Description
217	2010 CHEVROLET SILVERADO 1500	233	EFFICIENCY 820HT6 Steel Trench Shield, 8
	Pickup, Vortec 4.3L engine, automatic, fm/am		ft x 20 ft trench size, 6 inch walls
	stereo, ac/heat, long bed, Kobalt tool box, odometer reading: 72,445 miles ,	234	EFFICIENCY 816HT6 Steel Trench Shield,
	sn:1GCPCPEX3AZ188479	204 _	sn:9104196, 8 ft x 16 ft trench size, 6 inch walls
218	2010 CHEVROLET SILVERADO 1500		
	Pickup, Vortec 4.3L engine, automatic, cruise,	235 _	EFFICIENCY 820XLD Steel Trench Shield,
	fm/am stereo, ac/heat, long bed, Kobalt tool box, tow package, odometer reading: 86,259		sn:26163, 8 ft x 20 ft trench size, 4 inch walls
	miles , sn:1GCPCPEX7AZ174875	236 _	EFFICIENCY 816XLD Steel Trench Shield, sn:12948, 8 ft x 16 ft trench size, 4 inch walls
219	2004 GMC SIERRA 1500 Pickup, Vortec		
	4.3L engine, automatic, fm/am stereo,	237 _	EFFICIENCY 616XLD Steel Trench Shield, 6
	ac/heat, long bed, Adrian Steel tool box, tow		ft x 16 ft trench size, 4 inch walls
	hitch, odometer reading: 191,480 miles ,	240	ELCO DARDA Hydroulia Back and Constate
	sn:1GTEC14X64Z250435	240 _	ELCO DARDA Hydraulic Rock and Concrete Splitter, sn:318971, equipped w/ Elco air
220	2003 CHEVROLET S10 Pickup, Vortec 2.2L		power pack, Darda Model #12 splitter
	engine, automatic, fm/am stereo, ac/heat,		cylinder, hoses and accessories, to be used
	short bed, Kobalt tool box, odometer reading:		for demolition of concrete and rock
	153,872 miles , sn:1GCCS14H838210722		
221	1992 BMW 325I Convertible Automobile,	241 _	ELCO DARDA Hydraulic Rock and Concrete Splitter, sn:315862, equipped w/ Elco air
	coupe, in line 6 cylinder engine, 5 speed		power pack, Darda Model #12 splitter
	transmission, leather interior, power windows		cylinder, hoses and accessories, to be used
	and locks, odometer reading: 107,537 miles , sn:WBABB1318NEC05671		for demolition of concrete and rock
		242	ELCO DARDA Hydraulic Rock and Concrete
222	SPEED SHORE TB-828R8KE Steel Trench		Splitter, sn:328563, equipped w/ Elco air
	Shield, sn:969047, 8 ft x 28 ft trench size, 8		power pack, Darda Model #12 splitter
	inch walls, 1270 rated shield capacity		cylinder, hoses and accessories, to be used for demolition of concrete and rock
223	EFFICIENCY 820XLD Steel Trench Shield, 8		
	ft x 20 ft trench size, 4 inch walls	243	ELCO DARDA Hydraulic Rock and Concrete
			Splitter, sn:328567, equipped w/ Elco air
224	EFFICIENCY 420XLD Steel Trench Shield,		power pack, Darda Model #12 splitter
	sn:9403360, 4 ft x 20 ft trench size, 4 inch walls		cylinder, hoses and accessories, to be used for demolition of concrete and rock
225	EFFICIENCY 816XLD Steel Trench Shield, 8	244 _	ELCO DARDA Hydraulic Rock and Concrete
	ft x 16 ft trench size, 4 inch walls		Splitter, sn:332008, equipped w/ Elco air power pack, Darda Model #12 splitter
226	EFFICIENCY 816XLD Efficiency 816XLD		cylinder, hoses and accessories, to be used
	Steel Trench Shield, 8 ft x 16 ft trench size, 4		for demolition of concrete and rock
	inch walls		
007	EFFICIENCY COVID Stool Tranch Shield C	245 _	ELCO DARDA Hydraulic Rock and Concrete
227	EFFICIENCY 68XLD Steel Trench Shield, 6 ft x 8 ft trench size, 4 inch walls, spreader pipe		Splitter, equipped w/ Elco air power pack, Darda Model #12 splitter cylinder, hoses and
			accessories, to be used for demolition of
228	SPEED SHORE 8 ft x 16 ft Steel Trench		concrete and rock
	Shield, sn:93057, 4 inch walls		
		246 _	ELCO DARDA Hydraulic Rock and Concrete
229	SAFE-T-SHORE STONEMIZER SM7.5 Bedding Material Container, sn:26336, 7.5 cu		Splitter, equipped w/ Elco air power pack, Darda Model #12 splitter cylinder, hoses and
	yd rating, 60 inch inside width, lift bar		accessories, to be used for demolition of
	ya raang, oo mon molao maan, ni bar		concrete and rock
230	GME 816DW Steel Trench Shield,		
	sn:0104197, 8 ft x 16 ft trench size, 4 inch	247 _	GROVE RT522 (22 Ton) Rough Terrain
	walls, 880 psf shield capacity rating		Crane, sn:44685, Detroit diesel engine, 4wd,
231	EFFICIENCY 824HT6 Steel Trench Shield,		power shift transmission, 3 section boom, hydraulic outriggers, 20.5-25 tires, note: sales
201	sn:118812, 8 ft x 24 ft trench size, 6 inch walls		tax applies **
			···· •···
232	EFFICIENCY 820HT6 Steel Trench Shield,		
	sn:72230, 8 ft x 20 ft trench size, 6 inch walls		

ot Num	Description	Lot Num	Description
247A	SKYTRAK 8038 Telescopic Forklift,	274 _	2005 INGERSOLL-RAND P185WJD
	sn:M4626C127C277, Rops Canopy, 8,000LB lift capability, 4x4x4, crab steer, frame tilt, 3 section boom, 38 ft reach, 13.00-24TG tires,		Portable Air Compressor, sn:349447U10221, John Deere 4.5L engine, 185 cfm, 100 psi, meter reading: 5,751 hrs
	note: sales tax applies **		-
248	(3) 10 ft Trench Shield Spreaders	275 _	INGERSOLL-RAND P185AWJD Portable Air Compressor, sn:156357U86957, John Deere 4239 engine, 185 cfm, 100 psi, hose and reel,
249	(7) 12 ft Trench Shield Spreaders		meter reading: 2,547 hrs
250	(6) 8 ft Trench Shield Spreaders	276 _	TEREX-AMIDA AL4060D-4MHS Portable Light Plant, sn:EUF09326, Kubota engine,
251	(2) 16 ft Trench Shield Spreaders		120/240 volts, 20/30 amps, stabilizer legs, meter reading: 6,165 hrs
252	Concrete Traffic Barriers (Quantity of 5)		
		277 _	KUBOTA V3300 Skid Mounted Power Unit,
253	Energy Absorption Triton Traffic Barriers (Quantity of 3)		sn:7G2988, equipped w/ Kubota 3.3L diesel engine, meter reading: 998 hrs
254	Energy Absorption Triton Traffic Barriers (Quantity of 3)	278 _	2007 MAGNUM MMG125 (90 KW) Portable Generator Set, sn:073372, Deere 6.8L diesel
255	Energy Absorption Triton Traffic Barriers (Quantity of 3)		engine, 60Hz, Cont rating, 124KVA, engine runs, generator needs repairs, note: sales tax applies **
256	Energy Absorption Triton Traffic Barriers (Quantity of 3)	279 _	2009 MILLER TRAILBLAZER 302 Welder Generator, sn:LK320998H, Kohler Command
257	Energy Absorption Triton Traffic Barriers (Quantity of 3)		23 engine, 11,000 watt capability, CC/CV AC/DC welder, professional series, 302 amps 120/240 volts
258	250 Linear Feet of 6 inch HDPE (high density polyethylene) Pipe	280 _	2010 LINCOLN ELECTRIC 305G Welder Generator, sn:U1100507053, Kohler
259	(4) 8 ft Trench Shield Spreaders		Command 23 engine, 10,500 watts capability, 300 DC amps, 120/240 volts, skid mounted
260	(4) 5 ft Trench Shield Spreaders	281 _	2010 LINCOLN ELECTRIC RANGER 250GXT Welder Generator, sn:U1100805143
261	(5) 6 ft Trench Shield Spreaders		Kohler Command 23 engine, 11,000 watts capability, 250 amp, AC/DC welder, 120/240
262	(4) 6 ft Trench Shield Spreaders		volts, meter reading: 1,148 hrs
263	(3) 30 inch Trench Shield Spreaders	282 _	2007 LINCOLN ELECTRIC RANGER 250GXT Welder Generator, sn:U1070510333
264	Trench Shield Locking Pins and Accessories		Kohler Command 23 engine, 11,000 watts capability, 250 amp, AC/DC welder, 120/240
265	(4) 4 ft Trench Shield Spreaders		volts
266	(5) 4 ft Trench Shield Spreaders	283 _	2009 LINCOLN ELECTRIC RANGER 250 Welder Generator, sn:U1090902280, Kohler
267	(4) 4 ft Trench Shield Spreaders		Command 23 engine, 10,500 watts capability, 120/240 volts, 250 DC amps, skid mounted
268	(4) 4 ft Trench Shield Spreaders	284 _	2008 LINCOLN ELECTRIC RANGER
269	Shopmade Rock Bucket		225GXT Welder Generator, sn:U1080906130 Kohler Command 23 engine, 10,500 watts
270	Shopmade Rock Bucket		capability, 225 amp, AC/DC welder, 120/240 volts
271	Shopmade Rock Bucket	285 _	2001 MILLER TRAILBLAZER 280NT Welder
272	TEREX-AMIDA ODLSE25LA Portable Arrow Board, sn:0105-70893, solar powered, stabilizer legs		Generator, sn:LB182107, Onan Performer 20 engine, skid mounted, lift hook, CC/CV AC/DC welder, 120/240 volts, meter reading:
273	AMIDA DLB15FA Portable Arrow Board, sn:8701R1582, Lombardini diesel engine, stabilizer legs, meter reading: 4,271 hrs		1,467 hrs

Lot Num	Description	Lot Num	Description
286	2002 MILLER TRAILBLAZER DC Welder Generator, sn:LC542761, Kohler Command 20 engine, 10,000 watt capability, CC/CV DC welder, 120/240 volts, skid mounted, lift hook, meter reading: 2,258 hrs		1999 DITCH WITCH 1030H Walk Behind Trencher, sn:1S1826, equipped w/ Honda engine, 4 ft trench bar, single axle trailer included, note: sales tax applies **
287	2008 HOBART CHAMPION 230 AMP DC/CC Welder Generator, sn:LJ1800124, Kohler CH20 engine, 10,000 watt capability, 120/240 volts, 10 KW max rating, meter reading: 723 hrs	302	2000 MULTIQUIP VR-36HA Tandem Vibratory Asphalt Roller, sn:20000115, open station, Honda GX610 (18HP) engine, hydrostatic transmission, 36 inch drums, water spray system, meter reading: 865 hrs, note: sales tax applies **
288	2002 MILLER BOBCAT 250 Welder Generator, sn:LC327813, Kohler Command	303	Large Qty of Water Suction Pipe Sections
	20 engine, skid mounted, lift hook, 10,000 watt capability, CC/CV AC/DC welder, meter	304	18 Inch Loader Backhoe Ditching Bucket
	reading: 3,137 hrs	305	18 Inch Loader Backhoe Ditching Bucket
289	1998 MILLER TRAILBLAZER 251 Welder Generator, sn:KJ120057, Onan Performer 20	306	(5) Poly Water Tanks
	engine, 120/240 volts, 8.0 KW capability, skid mounted, meter reading: 3,211 hrs	307	NATIONAL CRANE 15 Ton and 24 Ton Crane Blocks
290	LINCOLN ELECTRIC 225 AMP AC/DC Welder Generator, Kohler Command 20 engine, 120/240 volts, 10,000 watt capability,	308	NATIONAL CRANE 15 Ton Crane Blocks, quantity of 2
	meter reading: 3,947 hrs	309	VICTOR Professional Edge Series Welders Torch Kit
291	Tunnel Bore Carts	310	CUTWELDER 101-100C Welders Torch Kit
292	4-Way Chain Lifting Sling	311	Welders Torch Kit
293	Crosby Wire Rope Lifting Slings		Welders Torch Kit
294	CROSBY 2-Way Chain Lifting Slings, qty of 2		
295	Tunnel Bore Carts	315	2011 BILLY BOB UT6X10 Utility Trailer, 3,500LB hauling capability, 6 ft x 10 ft deck, wood floor, Wilton vise, loading tailgate,
295A	500 Gallon Skid Mounted Diesel Fuel Tank, equipped w/ Fill-Rite 20 GPM (12 Volt DC) Pump, hose and nozzle		single axle, ST205/75D 15 tires , sn:1B9BU1017BV951215
296	Heavy Duty Shop Racks	316	FRUEHAUF 44 ft Flatbed Trailer, 8 ft x 44 ft deck, wood floor, headache rack, tandem axle, spring suspension, 11 R 24.5 tires, note:
297	(2) Shopmade Auger Service Stands		no title available, sold with bill of sale only
298	Metal Shop Work Horses	317	2006 HUDSON HTD20D Tag Equipment Trailer, 10 ton hauling capability, 8 ft x 18 ft
299	KA-MO KR3500 Pneumatic Boring Machine, sn:7202A, up to 6 inch bores		deck, wood floor, 5 ft beavertail, tandem axle, LT235/85R 16 tires, sn:10HHTD1DX61000101
300	RICHMOND 24D Horizontal Boring Machine (Parts Only), sn:24DD11387	318	1995 HUDSON HTD18D Tag Equipment
301	Equipment Chains, Binders, Ratchet Straps		Trailer,9 ton hauling capability, electric brakes, 8 ft x 18 ft deck, wood floor, 5 ft beavertail, loading ramps, tandem axle,
301A	GRASS HOPPER 220 Riding Commercial Mower, sn:5410862, Kohler CH20S engine,		ST235/85R 16 tires , sn:10HHTD1D1R1000766
	hydrostatic, zero turn radius, 52 inch deck, note: inoperable, needs repairs	319	2001 HUDSON HTD14D Tag Equipment Trailer, 7 ton hauling capability, 8 ft x 16 ft
301B	RAMMAX P33/24 Trench Compactor, sn:2146, equipped w/ Lister Petter diesel engine, walk behind operation, 33 inch padded drums, note: sales tax applies **		deck, 3 ft beavertail, loading ramps, tandem axle, 9.50 R 16.5LT tires , sn:10HHSE180W1000281

Lot Num	Description	Lot Num	Description	
320	2011 TOWMASTER T-12DD Equipment Trailer,7 ton hauling capability, 6 ft 10 in x 16 ft deck, wood floor, 3 ft beavertail, loading ramps, tandem axle, ST235/85R 16 tires , sn:4KNUT1621AL160693			
321	2009 MCELRATH 518 Tag Equipment Trailer,9 ton hauling capability, 5 ft x 18 ft deck, tandem axle, 215/75R 17.5 tires , sn:1M9FE122X9S284753			
322	MILWAUKEE DYMODRILL sn:798C606040116, electric powered, Nortor DR520 stand, (2) 12 inch core drill bits	1		
323	STIHL TS510 Cut Off Saw, equipped w/ gas engine, extra cutting blades			
324	HOMELITE DM50 Cut Off Saw, equipped w/ gas engine, extra cutting blades, carrying case			
325	CHICAGO Industrial Demolition Hammer, electric powered			
326	HILTI TE905 Rotary Hammer, electric powered, bits, carrying case			
327	BOSCH 11227E Rotary Hammer, electric powered, bits, carrying case			
328	2010 EDENBROS RD7000DL Electronic Utility Locating System, sn:10/7KDL-2812, equipped w/ compass, overload protection, TX-10 transmitter, carrying bag, manuals, accessories			
329	SPECTRA PRECISION DG511 Dial Grade Laser, equipped w/ carrying case, accessorie	s		
330	SPECTRA PRECISION DG511 Dial Grade Laser, equipped w/ carrying case, accessorie	s		
331	TOPCON AT-G6 Automatic Level, sn:B01067, 24x magnification, tripod			
332	DAVID WHITE AL8-26 Automatic Level, sn:M97755, 24x magnification, tripod			
333	DAVID WHITE Automatic Level, equipped w/ grade stick, tripod	1		
334	SCOTTS 3000 Seed Spreader, (3) electric leaf blowers			
335	KARCHER 1600 PSI Pressure Washer, sn:16016810129503, electric powered, 1.25 gpm, mobility kit, hose, wand			
336	TITAN 8 Gallon Twin Tank Air Compressor, sn:TAC10532, equipped w/ 5HP gas engine, skid mounted, hose and reel			



Year of Manufacture for Motor Vehicles Info

If a Motor Vehicle was built in the year 1980 or later and has a 17-digit vehicle identification number; the year of manufacture is identified by the 10th digit from the left, using the chart provided below.

А	1980	N	1992	4	2004
В	1981	Р	1993	5	2005
С	1982	R	1994	6	2006
D	1983	S	1995	7	2007
E	1984	т	1996	8	2008
F	1985	V	1997	9	2009
G	1986	W	1998	A	2010
Н	1987	Х	1999	В	2011
J	1988	Y	2000	С	2012
К	1989	1	2001	D	2013
L	1990	2	2002		
М	1991	3	2003		

Notes

Lloyd Meekins & Sons Auction Co.

Meekins Auction Company - Meeting the needs and expectations of its customers for over 50 Years







Meekins Auction Company - Meeting the needs and expectations of its customers for over 50 Years

