





Auctioneer Note: Locklear Boring Inc has been specializing in horizontal boring and locating services for both commercial and residential customers over 15 years. Being a company known for their professionalism and customer relations, Locklear Boring Inc is known throughout the contractor community has a company you can trust. This company has maintained all their equipment and trucks over the years and they are in excellent job ready condition. From earth moving equipment, heavy duty trucks, trailers, or to support equipment, this auction will have some quality late model equipment and trucks up for sale. Make plans today to attend, for this is one auction you will not want to miss!





**Auction Conducted By:** 

# Lloyd Meekins & Sons **Aućtion Company**



4070 NC Hwy 211 East - Lumberton, NC 28358 NC Firm License #858

Office Phone: 800.499.6560; 910.739.0547 Email: info@meekinsauction.com

Absolute consignments will be accepted and there will be no sales tax charged on this auction on items belonging to Locklear Boring Inc.





2

0:100 Scaling :: HT 100 WD 100 \rsi\lut\ C:175@15 M:175@75 Y:175@0 K:175@45 ] bleed:











# **Meekins Auction Company** Meeting the needs and expectations of its customers for over 50 Years

# **AUCTION TERMS**

- · Every Item is sold as-is, where is,
- . No Guarantees or warranties, expressed or implied. This brochure is only a guide. PLEASE INSPECT EQUIPMENT BEFORE BIDDING!
- NOTE: If interested in one item, please contact to insure availability.
   ADMINISTRATIVE FEE: Items selling for \$2,500 or less are subject to a ten percent administration fee on each item. Items selling over \$2,500 are subject to a five percent administration fee on each item. Online Bidders will be charged an additional two per-
- cent Internet Purchase Fee on all online purchases.

  PAYMENT TERMS: All payments are made in US funds. Methods of payment are cash, wire transfer, certified/ cashiers check, or company/ personal check accompanied with bank letter guaranteeing payment to Lloyd Meekins & Sons Auction Company. Equipment will not be released from sale site until purchases have been paid in full. If you as a buyer need financing, you must have a pre-approved letter of credit addressed to Lloyd Meekins & Sons Auction Company from the financial institution, to be provided to you before the day of the auction. If you do not meet these requirements, PLEASE DO NOT BID!

  NOTICE: Policy for International Buyers; all international buyers
- must provide a current, valid passport for identification purposes and a \$10,000.00 deposit. The deposit must be made with US
- funds in form of cashier's check or wire transfer.

  SALES TAX EXEMPTION: Buyers qualifying for sales tax exemption must present a copy of their sales tax I.D. numbers and complete a NC certificate of exemption (E595-e), or have a current exemption form on file, in order to be exempted from sales tax on applicable purchases.
- SALES TAX: There will be no sales tax charged on this auction on items belonging to Locklear Boring Inc. All third party consignment items are subject to state and local tax law. The North Carolina Sales Tax (Granville County) is 6.75% and applies to all sales, unless proper tax exemption forms are completed.

  EXPORT EXEMPTIONS: Buyers purchasing for export must complete
- and execute a NC affidavit of export (E599-C) for sales tax exemption. Items will not be released until this required document is received.
- FOR THEIR SAFETY- NO CHILDREN ARE ALLOWED ON SALE SITE!
   VEHICLE TITLE INFO: All title- item purchases will be charged a \$25 title-processing fee. All titles will be mailed out within 15 business days after payment has been received.

- AUCTION SALES REPRESENTATIVES: Trey Meekins, E.B. Webb, Chris Cea
   SALE SITE MANAGER: Ruford Watson, 910.734.1828
   AUCTIONEERS: Lloyd "Mickey" Meekins, Jr. #228, Stacey Johnson #7273, Lloyd "Trey" Meekins, III #8137

# INSPECTION/REGISTRATION/ **EQUIPMENT REMOVAL DATES**

- EQUIPMENT INSPECTION DATE: Prospective buyers are encouraged to come to the sale site yard to inspect and test out equipment before day of auction. Buyers can assess the equipment's value and condition before they bid. Equipment Inspection will
- be Wednesday, January 30, 2013 from 8:00 am until 5:00 pm.

   BIDDER REGISTRATION Begins Tuesday, January 29th, 2013

   REMOVAL OF EQUIPMENT DEADLINE: All equipment must be removed from sale site by Thursday, February 7, 2013. Equipment not removed by designated date, buyer may be charged storage fees upon owners discretion. Removal of equipment and insur-
- ance is the buyers' responsibility.

  Auction Day Equipment Loading Procedure: No equipment loading or removal of vehicles/drivable equipment will be allowed until conclusion of the auction or until auction management determines it is safe to do so. (Safety Measures/Insurance Policies) If equipment is allowed or permissible to be loaded on day of auction, office/yard gates will be closed at 5:00 PM. No Exceptions!

# DIRECTIONS TO SALE SITE

 From Raleigh, NC – Take Interstate 40 W for 17.5 miles to exit 281 for Miami Blvd. Turn right onto S. Miami Blvd. Go 4.1 miles. Turn left onto US-70W/S. Miami Blvd. Continue to follow US-70 W for 4.7 miles. Take exit 285 for Interstate 85 N/US 15 N toward Henderson/Petersburg. Merge onto I-85 N/US-15 N. Continue to follow I-85 N for 9.9 miles. Take exit 189 toward Butner. Turn right onto Gate 2 Road. Go .8 miles to E. Lyon Station Road. Turn left onto E. Lyon Station Road. Go .9 miles to Estate Drive. Turn right onto Estate Drive. Sale site will be located on ride side of the road. Watch for auction directional signs.

# **ACCOMMODATIONS**

- Courtyard Marriott Auction Headquarters: 1815 Front Street, Durham, NC 27705 919-309-1500 Comfort Inn: 1816 Hillandale Road, Durham, NC 27705 •
- Holiday Inn Express: 2516 Guess Road, Durham, NC 27705 919-313-3244
- Hampton Inn & Suites: 1542 North Gregson Street, Durham, NC 27701 919-688-8880
- The Inn at Creedmoor: 1585 North Carolina 56, Creedmoor, NC 27522 • 919-528-9296

# AIRLINES/TRAVEL AGENCY Raleigh-Durham International Airport, 25.5 miles to sale site

Landmark Aviation @ RDU, 27.2 miles to sale site

# CONSIGNMENT INFORMATION

Absolute Consignments will be Accepted for this Auction: For more information on this auction or if you are interested in selling your equipment for this auction, please contact one our auction sales managers today! Offering selling benefits to help your company achieve the best return on the sale of your assets. Flexible Contract Options: Net Guarantee, Straight Commission, Out-Right Purchase, Off Site Auctions.

# Contact one our auction sales representatives today!

- Trey Meekins: 910.258.4383 trey@meekinsauction.com
- · Chris Cea: 910.633.8244 chris@meekinsauction.com
- E.B. Webb:, 252.245.1405 ebwebb@meekinsauction.com

Stationary (Non Drivable) Inventory Deadline: Thursday, January 24th Drivable Inventory Deadline: Monday, January 28th at 12:00 noon

# ABSOLUTE CONSTRUCTION & AGRICULTURAL **EQUIPMENT AUCTION**

Thursday,February 21st, 2013 9:00 am Wilson, North Carolina

- Sale Site Address: 4124 Highway 58 South, Wilson, NC 27893
- Absolute Consignments will be Accepted for this Auction: Offering selling benefits to help your company achieve the best return on the sale of your assets. Flexible Contract Options: Net Guarantee, Straight Commission, Out-Right Purchase

Contact Sale Manager, E.B. Webb, 252.245.1405, ebwebb@meekinsauction.com

For more information on these auctions, please call or visit our company



Online Bidding Registration: Until Blue Blue ling hegistration.
register at equipmentfacts.com or call 908.788.2025
Note: Online Registration must be completed before the date of the auction.

Preview Complete Auction Inventory w/Pictures and Equipment







Layout 1 (Pac 2400.0 dpi Cyan Magenta PS Version: ID: Rosemary









# PARTIAL LIST TO DATE

### HYDRAULIC EXCAVATORS

2006 Hitachi ZX330LC, sn:FF01HHQ033966, A/C Cab, Isuzu engine, work light package, 31.5 inch pads, CF 2.15 cu yd (48 inch) bucket, meter reading: 6,103 hrs

2006 Kobelco SK330LC-VI Dynamic Acera, sn:YCU0824, A/C Cab, Cummins engine, work light package, 31.5 inch pads, Geith 36 inch bucket, meter reading: 7,082 hrs

1998 Kobelco SK300LC Mark IV, sn:YCU0824, A/C Cab, Cummins engine, work light package, 31.5 inch pads, Geith 36 inch bucket, meter reading: 7,082 hrs

2007 Deere 200CLC, sn:FF200CX507722, A/C Cab, work light package, 31.5 inch pads, CP 42 inch bucket, meter reading: 3,142 hrs

1995 Daewoo DH220LC, sn:1424, Enclosed Cab, 6 cylinder engine, 32 inch pads, 36 inch bucket, manual thumb attachment, meter reading: 8,079 hrs

2010 Link Belt 160X2, sn:EGCJ94019, A/C Cab, Isuzu engine, work light package, 27.5 inch pads, plumbed auxiliary hydraulics, Esco 36 inch bucket, meter reading: 1,768 hrs

2006 Link Belt 130LX, sn:KIJ61269, A/C Cab, Isuzu engine, reduced tail swing, work light package, 23.5 inch pads, plumbed auxiliary hydraulics, Geith 36 inch bucket, meter reading: 1,547 hrs 2007 Kubota KX161-3 Super Series, sn:32698, Rops Canopy,

Kubota 2.4L engine, auto idle, rubber tracks, hydraulic angle blade, auxiliary hydraulics, CP 12 inch bucket, meter reading: 668 hrs

Kubota KX008 Micro Mini, sn:16998, Roll Bar, 3 cyl Kubota engine, rubber tracks, backfill dozer blade, auxiliary hydraulics, adjustable tracks (widen & narrow), 10 inch bucket, meter reading: 2,237 hrs

### **ROUGH TERRAIN CRANES**

Grove RT522 (22 Ton), sn:44685, Enclosed Cab, Detroit diesel engine, 4x4, power shift transmission, 3 section boom, hydraulic outriggers, 20.5-25 tires

### **LOADER BACKHOES**

2005 Deere 310G 4x4, sn:T0310SGX943811, Rops Canopy. 4045D engine, four gear transmission, work light package, 4-n-1 loader bucket, standard stick, 24 inch hoe bucket, meter reading: 2,033 hrs

2004 Komatsu WB140-2N 4x4, sn:KMTWB001A36A21016, Rops Canopy, work light package, JRB quick coupler, gp loader bucket, standard stick, 24 inch hoe bucket, 4,299 hrs 2003 Kubota B21 4x4, sn:62392, Rops Canopy, 3 cyl Kubota

diesel engine, hydrostatic transmission, work light package, gp loader bucket, standard stick, 12 inch hoe bucket, meter reading: 1,334 hrs

# TELESCOPIC FORKLIFTS

Skytrak 8038, sn:M4626C127C277, Rops Canopy, 8,000LB lift capability, 4x4x4, 3 section boom, 38 ft reach

# **HORIZONTAL BORING MACHINES**

Barbo 48/54-750, sn:4854750109306, Deutz 6 cylinder air cooled engine, 5 speed transmission, 32 ft total track, quick split series, master saddle, 48 to 54 inch boring width capability

2000 American Auger 48-900S, sn:48900GHDS0798113, Deutz 4.764L (113HP) engine, 5 speed transmission, quick split turbo series, 32 ft total track, master saddle, Bloom winch, 48 inch boring width capability

1995 American Auger 36-340S, sn:3640GS1096280, Deutz 4 cylinder air cooled engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, 36 inch boring width capability

American Auger 24-150S, sn:24150DS0395267, Deutz 3 cylinder air cooled engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, 24 inch boring width

American Auger 24-150S, sn:24150DS0897302, Deutz 3 cylinder air cooled engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, 24 inch boring width capability

American Auger 24-150S, sn:24150DS1092232, Deutz 3 cylinder air cooled engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, 24 inch boring width capability

American Auger 24-110S, sn:24110DS0587127, Deutz 3 cylinder air cooled engine, 4 speed transmission, 30 ft total track, quick split series, master saddle, 24 inch boring width capability

American Auger 24-100S, sn:24100D1191214, Lombardin diesel engine, 4 speed transmission, quick split series, 30 ft total track, master saddle, 24 inch boring width capability

American Auger 24-70S, sn:2470D1087138, Lombardini diesel engine, 3 speed transmission, quick split series, new clutch recently installed, 30 ft total track, master saddle, 24 inch boring width capability

Richmond 36C, equipped w/ 4 cylinder engine, 3 speed transmission, 30 ft total track, master saddle, 36 inch boring width capability CONTINUED













Descriptions at our company website: www.meekinsauction.com























Richmond 24C, equipped w/ VM 2 cylinder diesel engine, 3 speed transmission, 30 ft total track, master saddle, 24 inch boring width capability

Richmond 24C, sn:2406273, Wisconsin gas engine, 3 speed transmission, 30 ft total track, master saddle, 24 inch boring width capability

Richmond 20C, sn:200868, Wisconsin gas engine, 3 speed transmission, 30 ft total track, master saddle, 20 inch boring width capability

American Auger Pneumatic, 30 length of track, up to 6 inch bores

# **AUGER BORING TOOLING & ACCESSORIES**

Over 3,000 ft of Auger Sections, from 4 inch width bore diam-

**Disc Cutter Heads** Heavy Duty Rock Heads **HTR Cutting Heads HTD Cutting Heads Combination Heads** 

Casing & Saddle Adapters Extension Track **Dutch Levels** 

American Auger B114-3P Bentonite Mixing System, sn:B1143P019473, Honda 8.0HP engine pump, skid mounted

Vandalism Shields (7) ELCO DARDA Hydraulic Rock and Concrete Splitters, equipped w/ Elco air power pack, Darda Model #12 splitter cylinder, hoses and accessories, to be used for demolition of

#### **TRENCHERS**

concrete and rock

Case 760, sn:JAF0022888, Roll Bar, 4 cyl diesel engine, 4x4, backhoe attachment, vibratory plow, backfill dozer blade,

AIR COMPRESSORS & SUPPORT EQUIPMENT 2005 Ingersoll-Rand P185WJD Portable Air Compressor, sn:349447U10221, John Deere 4.5L engine, 185 cfm, 100 psi, meter reading: 5,719 hrs

Ingersoll-Rand P185AWJD Portable Air Compressor, sn:156357U86957, John Deere 4239 engine, 185 cfm, 100 psi, hose and reel, meter reading: 2,498 hrs

Titan 8 Gallon Twin Tank Air Compressor, sn:TAC10532,

equipped w/ 5HP gas engine, skid mounted Large Qty of Compact Light Duty Air Compressors

Terex-Amida ODLSE25LA Portable Arrow Board, sn:0105-70893, solar powered, stabilizer legs

Amida DLB15FA Portable Arrow Board, sn:8701R1582, Lom-

bardini diesel engine, stabilizer legs, meter reading: 4,267 hrs **Terex-Amida AL4060D Portable Light Plant,** sn:EUF09326, Kubota engine, 120/240 volts, 20/30 amps, stabilizer legs, meter reading: 5,685 hrs

(20) Energy Absorption Inc Triton Traffic Barriers, constructed w/ lightweight poly plastic material, water filled, wire rope

lifting sling accessory
(2) Topcon TP-L4B Utility Pipe Lasers
Edenbros RD7000 Electronic Utility Locating System, featuring
Compass and dynamic overload protection, the RD7000 range delivers exceptional pipe and cable location and tracing func-

# STEEL TRENCH SHIELDS & EQUIPMENT

Speed Shore TB-82-8R8KE, 8 x 30, 8" walls

(2) Efficiency 824HT6, 8 x 24, 6" walls

(2) Efficiency 820HT6, 8 x 20, 6" walls (2) Efficiency 820XLD, 8 x 20, 4" walls

(3) Efficiency 816XLD, 8 x 16, 4" walls

(2) GME 816DW, 8 x 16, 4" walls Efficiency 616XLD, 6 x 16, 4" walls Efficiency 420XLD, 4 x 20, 4" walls

Efficiency 68XLD, 6 x 8, 4" walls

Large Qty of Steel Trench Shield Spreaders (2 ft to 12 ft sections) Safe-T-Shore Stonemizer SM7.5 Bedding Material Container, sn:26336, 7.5 cu yd capability, 60 inch inside width, lift bar

Large Qty of Steel Road Plates (8 ft x 16 ft sizes to 3 ft x 3 ft

# **WELDER GENERATOR SETS**

2009 Miller Trailblazer 302 11,000 watt (3) 2002 Miller Trailblazer 280NT 10,000 watt 2002 Miller Bobcat 250 10,000 watt 2008 Hobart Champion 230 10,000 watt 2010 Lincoln Electric Ranger 305G 11.000 watt (2) 2010 Lincoln Electric Ranger 250GXT 11,000 watt 2009 Lincoln Electric Ranger 250 10,500 watt (2) 2008 Lincoln Electric Ranger 225GXT 10,500 watt 2007 Magnum MMG125 (90 KW) Portable Generator Set Large Qty of Welding Carts, Torch Kits, Accessories

Preview Complete Auction Inventory w/Pictures and Equipment









### DAY CAB TRUCK TRACTORS - TRI AXLE

1998 Kenworth W900L, sn:1XKWD69X9WJ778290, Cummins N14-460HP engine, Eaton Fuller 9 speed, 3 stage engine brake, cruise, fifth wheel slide, grain interior, 4.11 axle ratio, 12,860LB front axle, 40,000LB rear axles, Granning air lift 3rd axle, Hendrickson suspension, work light package, headache rack, hydraulic wet line kit, odometer reading: 371,397 miles

## DAY CAB TRUCK TRACTORS – TANDEM AXLE

2006 Kenworth W900L, sn:1XKWDB9X26J143789, Cat C-15 (475HP) engine, Eaton Fuller 10 speed, cruise, engine brake, fifth wheel slide, differential lock, ac/heat, cd/fm/am stereo, grain/leather interior, moto mirrors, work light package. 12,000LB front axle, 38,000LB rear axles, air ride suspen sion, 3.70 axle ratio, aluminum headache rack, Alcoa rims, hydraulic wet line kit, odometer reading: 636,398 miles

1997 Mack CH613, sn:1M2AA13Y4TW064337, E7-350HP Mack engine, Eaton Fuller 9 speed, cruise, engine brake, power divider lock, fifth wheel slide, work light package, 12,000LB front axle, 40,000LB rear axles, Sturdy-Lite headache rack, air ride suspension, Alcoa rims, hydraulic wet line kit, odometer reading: 283,985 miles

### SLEEPER CAB TRUCK TRACTORS - TANDEM AXLE

1997 Western Star 4964FX, sn:2WKPDDXH4VK947412. Detroit Series 60 (470HP) engine, Eaton Fuller transmission, cruise, engine brake, differential lock, 60 inch sleeper cab, 12,000LB front axle, 40,000LB rear axles, air ride suspension, Alcoa rims

# HYDRAULIC CRANE TRUCKS

2007 Sterling L8500 Elliott 2495 24 Ton, sn:2FZHAWDA67AX75586, Cat C-9 8.8L (335HP) engine, Eaton Fuller 8LL transmission, cruise, differential lock, axle lock, ac/heat, 20,000LB front axle, 40,000LB rear axles, 2007 Elliott 2495 hydraulic truck crane, three section boom, 95 ft reach height capability, (4) hydraulic outriggers, 20 ft flatbed steel body, Hendrickson heavy duty suspension, tan-dem axle truck, tow package, odometer reading: 84,168 miles 1996 Ford L8000 National Series 990 23.5 Ton,

sn:1FDYW82EXTVA03581, Cummins 8.2L engine, Eaton Fuller 8LL, differential lock, 258 wheel base, 16,000LB front axle, 40,000LB rear axles, Owsley 20 ft flatbed body, steel floor, 3 section boom, 95 ft reach height capability, (4) hydraulic outriggers, Hendrickson spring suspension, tow package, odometer reading: 122,671 miles

# VACUUM EXCAVATION TRUCKS

2012 Ford F-550XL Superduty – 2011 McLaughlin V500AW Air/Water Vacuum Excavation System, sn:1FDUF5GTX-CEA03875, Powerstroke 6.7L turbo diesel engine, automatic, cruise, ac/heat, cd/fm/am/mp3 stereo, work light package, Knapheide 16 ft body, 2011 McLaughlin V500AW Air/Water Vacuum Excavation System, sn:5DAWRF051809330, skid mounted, Kubota 99HP engine, 1025 cfm blower output, air/water power pack combination system, 500 gallon spoil tank capacity, 410 gallon water tank capacity, 5.6 gpm water pump, three stage filtration system, Cam-Over external hy-draulic rear door, meter reading: 432 engine hrs, truck odometer reading: 17,296 miles

1994 Ford F700 – Excavac Ground-Hog Air/Water Vacuum Excavation System, sn:1FDXK74C2RVA15939, Cummins 5.9L (210HP) engine, automatic transmission, 154 wheel base, 10,000LB front axle, 21,000LB rear axle, 12 ft body Excavac Ground-Hog Vacuum Excavation System, John Deere power unit, Vanair air compressor, cold water system, Michelin tires, odometer reading: 79,981 miles

# **DUMP TRUCKS – TANDEM AXLE**

1998 GMC C8500, sn:1GDT7H4C8WJ514060, Cat 3126 (300HP) engine, Eaton Fuller 8LL transmission, 12,000LB front axle, 40,000LB rear axles, double frame, Fontaine C16T (14/16 yd) dump body, electric tarp, 84,494 miles

# **DUMP TRUCKS – SINGLE AXLE**

1997 Freightliner FL70, sn:1FV6HFAA6VL859374, Cummins 5.9L (210HP) engine, 6 speed transmission, air brakes, ac/heat, 12,000LB front axle, 21,000LB rear axle, spring suspension, Ox 10 ft (8-10 yd) steel dump body, double frame, Roll-Rite electric tarp system, tow package, new rear tires recently installed, odometer reading: 228,885 miles

# DIGGER DERRICK TRUCKS

1989 Ford F800 Telelect Commander 4200

sn:1FDXK84A6KVA51143, 7.8L (240 HP) diesel engine, automatic transmission, 178 wheel base, gvwr:33,000LBS, heavy duty winch, 13,205 lb lift capacity, pole claw, PG winch, man bucket, hydraulic outriggers, Columbian vise, hydraulic tool kit, tow package


CONTINUED



























Descriptions at our company website: www.meekinsauction.com





6

















1993 Ford F600, sn:1FDNK64C9PVA05312, Cummins 5.9L (210HP) engine, 5 speed, gvw rating: 26,000LBS, 207 wheel base, 20 ft steel body, spring suspension, odometer reading: 116,320 miles

1992 GMC TopKick SL, sn:1GDM7H1J1NJ500281, Cat 3116 6.6L engine, 5 speed, air brakes, 11,000LB front axle, 22,000LB rear axle, Hackney 24 ft body, steel deck, spring suspension, odometer reading: 162,054 miles

### SERVICE UTILITY TRUCKS

2011 Ford F-550XL Superduty Crew Cab Dually, sn:1FD0W5GT1BEA89462, Powerstroke 6.7L turbo diesel engine, automatic, cruise, 2wd, ac/heat, cd/fm/am/mp3 stereo, (4) auxiliaries, Knapheide body, hot stick tube, tow package, 57,962 miles

### 2004 Ford F-550XL Superduty Dually,

sn:1FDAF56P14EC31465, Powerstroke V8 turbo diesel engine, 6 speed, ac/heat, fm/am stereo, Adkins body, utility rack, tow package, odometer reading: 52,589 miles

2001 Ford F-250XL Superduty, sn:1FTNF20LX1EC27887, Triton 5.4L V8 engine, automatic, ac/heat, fm/am stereo, Morrison tool body, odometer reading: 174,154 miles

#### 2010 Chevrolet 3500HD Silverado Crew Cab Dually,

sn:1GB7CZE64AF110368, Duramax 6.6L turbo diesel engine, Allison automatic transmission, cruise, power windows and locks, stereo system, ac/heat, Reading body, utility rack, GPI fuel 'n tool box accessory, tow package, odometer reading:

### 2010 Chevrolet 3500HD Silverado Crew Cab Dually,

sn:1GB7CZB61AF1222445, Duramax 6.6L turbo diesel engine, Allison automatic transmission, cruise, power windows and locks, stereo system, ac/heat, Reading body, utility rack, GPI fuel 'n tool box accessory, tow package, odometer reading: 98,983 miles

**1990 Chevrolet 3500 Dually,** sn:1GBHC34K6LE21605, 350 gas engine, automatic, 2wd, MCB body, tow package, note: around 2,000 miles on recently installed engine, paperwork

# 2007 GMC 3500 Sierra Crew Cab Dually,

sn:1GDJC33U37F133480, Vortec 6.0L engine, automatic, cruise, 2wd, ac/heat, fm/am stereo, Knapheide body, tow package, odometer reading: 186,081 miles

#### 2006 Chevrolet 2500HD Silverado Crew Cab 4x4,

sn:1GBHK23D36F158592, Duramax 6.6L turbo diesel en-gine, Allison automatic transmission, ac/heat, stereo system, Knapheide body, utility rack, off road diesel fuel tank, hot stick tube, tow package, odometer reading: 165,289 miles

2004 GMC 2500HD Sierra, sn:1GDHC24U74E337580, Vortec 6.0L engine, automatic, 2wd, ac/heat, stereo system, Stahl body, tow package, odometer reading: 195,144 miles

## SERVICE UTILITY VANS

2001 Chevrolet 3500 Dually, sn:1GBHG31R811207359, Vortec 5.7L engine, automatic, fm/am stereo, ac/heat, Stahl 11 ft van body, utility racks, hot stick tube, note: new engine recently installed at 177,000 miles, paperwork available, odometer reading: 177,453 miles 2002 Chevrolet 3500, sn:16BHG31R721183976, Vortec 5.7L

engine, automatic, fm/am stereo, ac/heat, 10 ft 7 in van body, Vanguard heavy duty utility rack, note: new recently installed engine

# 2010 Chevrolet 1500 Silverado LTZ Z71 (4x4) Extended Cab,

sn:1GCSKTE38AZ180025, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, heated seats, short bed, Cam-Locker tool box, tow package, odometer reading: 99,497 miles

2009 Chevrolet 1500 Silverado LTZ Z71 (4x4) Extended Cab, sn:2GCEK290891129751, Vortec 5.3L engine, automatic, cruise, cd/fm/am/aux stereo, ac/heat, power windows and locks, short bed, liner, UWS tool box, tow package, odometer reading: 145,713 miles

2009 Chevrolet Silverado 1500 LTZ Z71 (4x4) Extended Cab, sn:1GCEK39J59Z215167, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, heated seats, short bed, Cam-Locker tool box, tow package, odometer reading: 152,341

# 2009 GMC 1500 Sierra SLE Z71 (4x4) Extended Cab,

sn:2GTEK290X91127757, Vortec 5.3L engine, automatic, cruise, leather interior, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, short bed, Cam-Locker tool box, tow package, odometer reading: 164,139 miles 2008 Chevrolet 1500 Silverado LT Z71 (4x4) Extended Cab,

sn:2GCEK19J181269433, Vortec 5.3L engine, automatic, cruise, power windows and locks, ac/heat, cd/fm/am/auxiliary stereo, cloth interior, short bed, UWS tool box, tow package, odometer reading: 190,234 miles

Preview Complete Auction Inventory w/Pictures and Equipment













### 2008 Chevrolet 1500 Silverado LS (4x4),

sn:1GCEK14C18Z296745, Vortec 4.8L engine, automatic cruise, ac/heat, cd/fm/am/aux stereo, long bed, Adrian Steel tool box, tow package, odometer reading: 122,138 miles

2011 GMC 1500 Sierra, sn:1GTN1TEX5BZ161291, Vortec 4.3L engine, automatic, cruise, ac/heat, fm/am stereo, long bed, Leonard tool box, odometer reading: 50,798 miles

2010 Chevrolet Silverado 1500, sn:1GCPCPEX3AZ188479, Vortec 4.3L engine, automatic, fm/am stereo, ac/heat, long bed, Kobalt tool box, odometer reading: 67,232 miles 2010 Chevrolet Silverado 1500, sn:1GCPCPEX7AZ174875, Vortec

4.3L engine, automatic, cruise, fm/am stereo, ac/heat, long bed. Kobalt tool box, tow package, odometer reading: 80,057 miles 2004 GMC 1500 Sierra, sn:1GTEC14X64Z250435, Vortec 4.3L

engine, automatic, fm/am stereo, ac/heat, long bed, Adrian Steel tool box, tow hitch, odometer reading: 189,929 miles 2003 Chevrolet S10, sn:1GCCS14H838210722, Vortec 2.2L engine, automatic, fm/am stereo, ac/heat, short bed, Kobalt

tool box, odometer reading: 147,969 miles 2012 Ford F-150 Harley Davidson Super Crew Cab (4x4), sn:1FTFW1E66CFA98772, Triton 6.2L (V8) Flex Fuel engine, automatic transmission, cruise, rear view camera, moon roof, leather interior, heated seats, power windows and locks, rear powered sliding window, loaded features, short bed, UWS tool box, tow package, automatic hiding step boards, odometer reading: 24,935 miles

#### PASSENGER VANS

2005 Chevrolet Express 3500, sn:1GAHG35UX51156245, Vortec 6.0L engine, automatic, cruise, power windows and locks, cloth interior, 12 passenger, tow package, odometer reading: 270,846 miles

### LOWBOY TRAILERS - TRI AXLE

2001 Dynaweld LB50, sn:19K81DHXP1X23492, 50 ton hauling capability, non ground bearing, wet line operation, 102 inch x 22 ft 10 inch deck, new floor boards and tires recently installed, deck over wheels, air ride suspension, 255/70R

# 1985 Trail King 1944-1350 Hydra Tail,

sn:1TKA04439FM076052, gvw rating: 86,600LBS, gawr: 17,720LBS each axle, Braden hydraulic winch, 8 ft top deck, 34 ft load deck, outriggers, hydraulic folding tail, air ride suspension, 10.00 R 15 tires

# LOWBOY TRAILERS - TANDEM AXLE

2007 Witzco Challenger RG-35, sn:1W8A11D207S000217, 35 ton hauling capability, non ground bearing, pony motor operation, 102 inch x 22 ft 3 inch deck, new floor boards recently installed, spring suspension, 255/70R 22.5 tires

1994 Fontaine FTW-5-8045W9AK, sn:13N145300R1560685, 96 inch x 48 ft deck, 80,000LB frame rating, aluminum floor boards, spread axle, Hendrickson HT Series suspension, Webb hubs, tandem axle, 295/75R 22.5 tires

Fruehauf 44 ft, 8 ft x 44 ft deck, wood floor, headache rack, tandem axle, spring suspension, 11 R 24.5 tires, note: no title available, sold with bill of sale only

# TAG EQUIPMENT TRAILERS

2006 Hudson HTD20D, sn:10HHTD1DX61000101, 10 ton hauling capability, 8 ft x 18 ft deck, wood floor, 5 ft beavertail, tandem axle, LT235/85R 16 tires

2009 McElrath 518, sn:1M9FE122X9S284753, 9 ton hauling capability, 5 ft x 18 ft deck, tandem axle, 215/75R 17.5 tires 1995 Hudson HTD18D, sn:10HHTD1D1R1000766, 9 ton hauling capability, electric brakes, 8 ft x 18 ft deck, wood floor, 5 ft beavertail, tandem axle, ST235/85R 16 tires **2011 Towmaster T-12DD**, sn:4KNUT1621AL160693, 7 ton

hauling capability, 6 ft 10 in x 16 ft deck, wood floor, 3 ft beavertail, tandem axle, ST235/85R 16 tires

2001 Hudson HTD14D, sn:10HHSE180W1000281, 7 ton hauling capability, 8 ft x 16 ft deck, 3 ft beavertail, loading ramps, tandem axle, 9.50 R 16.5LT tires

2011 Billy Bob UT6X10, sn:1B9BU1017BV951215, 3,500LB hauling capability, 6 ft x 10 ft deck, wood floor, Wilton vise, loading tailgate, single axle, ST205/75D 15 tires

# OTHER ITEMS TO INCLUDE:

Shop Equipment, Attachments, Welding Equipment, Compaction Support Equipment, Job/Traffic Safety Equipment and Supplies, Golf Carts, Utility Carts, ATVs, Waste Water Supplies and Products, Contractor Grade Tools and Accessories, Construction Equipment Parts & Accessories, Truck Parts and Accessories, much, much, mote - see website for complete listing with descriptions and pictures: meekinsauction.com



































Descriptions at our company website: www.meekinsauction.com







Time sensitive material, please deliver promptly RETURN SERVICE REQUESTED www.meekinsauction.com U.S. Press LUMBERTON, NC 28358 **GIA9** U.S. Postage 4070 NC HWY, 211 E FIRST-CLASS MAIL
PRSRT LLOYD MEEKINS & SONS AUCTION CO.

2000 AMERICAN AUGER 48-900S



HOCKLEAR HORIZONTAL ROAD BORING BARING UTILITY LOCATING

RALEIGH DURHAM, NC MA 00:6 - ETOS, IE YAAUNAL, YAGSAUHT



-Meeting the needs and expectations of its customers for over 50 Years



